



RELH-X-X



RELH-X-X-EXT



| | A | B |
|-----------|-----------|------------|
| RELH-6-18 | 6" ϕ | 18" ϕ |
| RELH-6-24 | 6" ϕ | 24" ϕ |
| RELH-6-36 | 6" ϕ | 36" ϕ |
| RELH-8-18 | 8" ϕ | 18" ϕ |
| RELH-8-24 | 8" ϕ | 24" ϕ |
| RELH-8-36 | 8" ϕ | 36" ϕ |

| | A | B |
|------------|------------|------------|
| RELH-10-18 | 10" ϕ | 18" ϕ |
| RELH-10-24 | 10" ϕ | 24" ϕ |
| RELH-10-36 | 10" ϕ | 36" ϕ |
| RELH-12-18 | 12" ϕ | 18" ϕ |
| RELH-12-24 | 12" ϕ | 24" ϕ |
| RELH-12-36 | 12" ϕ | 36" ϕ |

CUSTOMER:
CUSTOMER P.O.:
PROJECT:
ENGINEER:
SALES REP.:
IDENTIFICATION / TAGGING:

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by: Janos B
Date: 4/25/2017
Scale: NTS
Weight: N/A



**(01-11) Accessories for
Extraction Arms - SD**
Specification Drawing

Drawing No.: - File Name: (01-11) Accessories for Extraction Arms - SD
Material: - Sheet: 1/14


DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11

Quick Hose Connection Kit with 10' long
250 deg. hose, hood & 2 magnets


| PRODUCT # | ØD" |
|--------------------|-----|
| LEV-P-018-160-2MAG | 6.5 |
| LEV-P-018-200-2MAG | 8 |

BROKEN DETAIL VIEW




QUICK CONNECTOR


FRONT VIEW



ISOMETRIC VIEW



DETAIL VIEW



MODELS:

| Part # | Main System / Part | Description |
|--------------------|---|-------------|
| LEV-P-018-160-2MAG | 10' long 6.5" 250 deg. hose, hood & 2 magnets | |
| LEV-P-018-200-2MAG | 10' long 8" 250 deg. hose, hood & 2 magnets | |

| | |
|---------------------------|--|
| CUSTOMER: | |
| CUSTOMER P.O.: | |
| PROJECT: | |
| ENGINEER: | |
| SALES REP.: | |
| IDENTIFICATION / TAGGING: | |

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by: Janos B
Date: 4/25/2017
Scale: NTS
Weight: N/A

(01-11) Accessories for
Extraction Arms - SD
Specification Drawing

Drawing No.: -
Material: -

File Name: (01-11) Accessories for Extraction Arms - SD
Sheet: 2/14


DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11


Quick Hose Connection Kit with 10' long
250 deg. hose, hood & 4 magnets

| PRODUCT # | ØD" |
|--------------------|-----|
| LEV-P-018-160-4MAG | 6.5 |
| LEV-P-018-200-4MAG | 8 |


BROKEN DETAIL VIEW




FRONT VIEW



ISOMETRIC VIEW



DETAIL VIEW



MODELS:

| Part # | Main System / Part | Description |
|--------------------|---|-------------|
| LEV-P-018-160-4MAG | 10' long 6.5" 250 deg. hose, hood & 4 magnets | |
| LEV-P-018-200-4MAG | 10' long 8" 250 deg. hose, hood & 4 magnets | |

| | |
|---------------------------|--|
| CUSTOMER: | |
| CUSTOMER P.O.: | |
| PROJECT: | |
| ENGINEER: | |
| SALES REP.: | |
| IDENTIFICATION / TAGGING: | |

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

| | |
|-----------|-----------|
| Drawn by: | Jonas B |
| Date: | 4/25/2017 |
| Scale: | NTS |
| Weight: | N/A |

(01-11) Accessories for
Extraction Arms - SD
Specification Drawing

| | | |
|--------------|---|---|
| Drawing No.: | - | File Name: (01-11) Accessories for Extraction |
| Material: | - | Sheet: 3/14 |


DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11

Quick Hose Connection Kit with 10' long
600 deg. hose, RCA Nozzle and
Telescoping Pole


| PRODUCT # | ØD" |
|-------------------|-----|
| LEV-P-018-160-RCA | 6.5 |
| LEV-P-018-200-RCA | 8 |

BROKEN DETAIL VIEW




QUICK CONNECTOR


RCA NOZZLE




ISOMETRIC VIEW



DETAIL VIEW #1



DETAIL VIEW #2



TELESCOPING
POLE
EXTENDED
L = 12'

TELESCOPING
POLE
COMPRESSED
L = 6'

MODELS:

| Part # | Description |
|--|---|
| Main System / Part | |
| <input type="checkbox"/> LEV-P-018-160-RCA | 10' long 6.5" 600 deg. hose c/w RCA Nozzle and Extension Pole |
| <input type="checkbox"/> LEV-P-018-200-RCA | 10' long 8" 600 deg. hose c/w RCA Nozzle and Extension Pole |

| |
|---------------------------|
| CUSTOMER: |
| CUSTOMER P.O.: |
| PROJECT: |
| ENGINEER: |
| SALES REP.: |
| IDENTIFICATION / TAGGING: |

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

| | |
|-----------|-----------|
| Drawn by: | Jonas B |
| Date: | 4/25/2017 |
| Scale: | NTS |
| Weight: | N/A |

(01-11) Accessories for
Extraction Arms - SD
Specification Drawing

| | | |
|--------------|---|---|
| Drawing No.: | - | File Name: (01-11) Accessories for Extraction |
| Material: | - | Sheet: 4/14 |


DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11

Quick Hose Connection Kit with 10' long
600 deg. hose, LQ Nozzle and
Spring Loaded Damper


| PRODUCT # | ØD" |
|------------------|-----|
| LEV-P-018-160-LQ | 6.5 |
| LEV-P-018-200-LQ | 8 |

BROKEN DETAIL VIEW




QUICK CONNECTOR


FRONT VIEW




ISOMETRIC VIEW



DETAIL VIEW #1



DETAIL VIEW #2



MODELS:

| Part # | Main System / Part | Description |
|---|--------------------|---|
| <input type="checkbox"/> LEV-P-018-160-LQ | | 10' long 6.5" 600 deg. hose c/w LQ tailpipe nozzle and Spring loaded damper |
| <input type="checkbox"/> LEV-P-018-200-LQ | | 10' long 8" 600 deg. hose c/w LQ tailpipe nozzle and Spring loaded damper |

| | |
|---------------------------|--|
| CUSTOMER: | |
| CUSTOMER P.O.: | |
| PROJECT: | |
| ENGINEER: | |
| SALES REP.: | |
| IDENTIFICATION / TAGGING: | |

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

| | |
|-----------|-----------|
| Drawn by: | Jonas B |
| Date: | 4/25/2017 |
| Scale: | NTS |
| Weight: | N/A |

**(01-11) Accessories for
Extraction Arms - SD**
Specification Drawing

| | | |
|--------------|---|---|
| Drawing No.: | - | File Name: (01-11) Accessories for Extraction Arms - SD |
| Material: | - | Sheet: 5/14 |


DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11


Quick Hose Connection Kit with 4' long
150 deg. Kanaduct self sustaining hose
and Hood

| | |
|------------------|-----|
| PRODUCT # | ØD" |
| LEV-P-018-160-SS | 6.5 |


BROKEN DETAIL VIEW




FRONT VIEW



ISOMETRIC VIEW



DETAIL VIEW



MODELS:

| Part # | Description |
|------------------|---|
| LEV-P-018-160-SS | 4' long 6.5" 150 deg. self supporting hose hood |

| | |
|---------------------------|--|
| CUSTOMER: | |
| CUSTOMER P.O.: | |
| PROJECT: | |
| ENGINEER: | |
| SALES REP.: | |
| IDENTIFICATION / TAGGING: | |


> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

| | |
|-----------|-----------|
| Drawn by: | Janos B |
| Date: | 4/25/2017 |
| Scale: | NTS |
| Weight: | N/A |

(01-11) Accessories for
Extraction Arms - SD
Specification Drawing



| | | |
|--------------|---|---|
| Drawing No.: | - | File Name: (01-11) Accessories for Extraction |
| Material: | - | Sheet: 6/14 |



DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11

HEMEON Hood Extension
To be used as extension for
Flexi or Pro-Flex Hoods.
Safety Mesh is also required!

| PRODUCT # | ØD" |
|-----------|-----|
| HEM-160 | 6.5 |
| HEM-200 | 8 |

ISOMETRIC VIEW



MODELS:

| Part # | |
|--------------------------|---------|
| <input type="checkbox"/> | HEM-160 |
| <input type="checkbox"/> | HEM-200 |

Hood Options

Hemeon Extension hood for 160mm (6.5")Ø Hoods. Must be used in conjunction with a SM-160 safety mesh.
Hemeon Extension hood for 200mm (8")Ø Hoods. Must be used in conjunction with a SM-200 safety mesh.


| |
|---------------------------|
| CUSTOMER: |
| CUSTOMER P.O.: |
| PROJECT: |
| ENGINEER: |
| SALES REP.: |
| IDENTIFICATION / TAGGING: |

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

| | |
|-----------|-----------|
| Drawn by: | Jonas B |
| Date: | 4/25/2017 |
| Scale: | NTS |
| Weight: | N/A |




(01-11) Accessories for
Extraction Arms - SD
Specification Drawing

| | | |
|--------------|---|---|
| Drawing No.: | - | File Name: (01-11) Accessories for Extraction |
| Material: | - | Sheet: 7/14 |


DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11



| PRODUCT # | ØD" |
|-----------|-----|
| SM-100 | 4 |
| SM-125 | 5 |
| SM-160 | 6.5 |
| SM-200 | 8 |

| Part # | | Description |
|--------------------------|------------------------|--|
| <input type="checkbox"/> | SM-100 | Hood Options Safety mesh for 100mm (4")Ø hood. |
| <input type="checkbox"/> | SM-125 | Safety mesh for 125mm (5")Ø hood. |
| <input type="checkbox"/> | SM-160 | Safety mesh for 160mm (6.5")Ø hood. |
| <input type="checkbox"/> | SM-200 | Safety mesh for 200mm (8")Ø hood. |



| PRODUCT # | ØD" |
|-----------|-----|
| P-017-160 | 6.5 |
| P-018-160 | 6.5 |
| P-017-200 | 8 |
| P-018-200 | 8 |

| Part # | | Description |
|--------------------------|---------------------------|--|
| <input type="checkbox"/> | P-017-160 | MODELS: - Misc. Options 2m (6.5') - 160mm (6.5")Ø Extension Hose for extraction arms c/w magnetic nozzle |
| <input type="checkbox"/> | P-017-200 | 2m (6.5') - 200mm (8") Ø Extension Hose for extraction arms c/w magnetic nozzle |
| <input type="checkbox"/> | P-018-160 | 3m (10') - 160mm (6.5")Ø Extension Hose for extraction arms c/w magnetic nozzle |
| <input type="checkbox"/> | P-018-200 | 3m (10') - 200mm (8") Ø Extension Hose for extraction arms c/w magnetic nozzle |


CUSTOMER:
CUSTOMER P.O.:
PROJECT:
ENGINEER:
SALES REP.:
IDENTIFICATION / TAGGING:

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by: Janos B
Date: 4/25/2017
Scale: NTS
Weight: N/A




**(01-11) Accessories for
Extraction Arms - SD**
Specification Drawing

Drawing No.: - File Name: (01-11) Accessories for Extraction Arms - SD
Material: - Sheet: 8/14

DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST


01-11



| PRODUCT # | ØD" |
|------------|-----|
| OM-085/100 | 4 |
| OM-085/125 | 5 |
| OM-085-160 | 6.5 |
| OM-085-200 | 8 |

MODELS:

| Part # | Description |
|---|---|
| - Misc. Options | |
| <input type="checkbox"/> OM-085/100 | Steel damper for 100mm (4") Ø arm. Powder coated. Packed in plastic. |
| <input type="checkbox"/> OM-085/125 | Steel damper for 125 mm (5") Ø arm. Powder coated. Packed in plastic. |
| <input type="checkbox"/> OM-085/160 | Steel damper for 160 mm (6") Ø arm. Powder coated. Packed in plastic. |
| <input type="checkbox"/> OM-085/200 | Steel damper for 200mm (8") Ø arm. Powder coated. Packed in plastic. |



| PRODUCT # | ØD" |
|-----------|-----|
| OM-068-MK | 5 |
| OM-069-MK | 6.3 |
| OM-070-MK | 6 |
| OM-071-MK | 8 |
| OM-072-MK | 10 |
| OM-080-MK | 4 |

MODELS:

| Part # | Description |
|--|---------------------------------------|
| Magnetic Hoods | |
| <input type="checkbox"/> OM-068-MK | Magnetic Hood-125mm (5")Ø w/ damper |
| <input type="checkbox"/> OM-069-MK | Magnetic Hood-160mm (6.3")Ø w/ damper |
| <input type="checkbox"/> OM-070-MK | Magnetic Hood-152mm (6")Ø w/ damper |
| <input type="checkbox"/> OM-071-MK | Magnetic Hood-200mm (8")Ø w/ damper |
| <input type="checkbox"/> OM-072-MK | Magnetic Hood-250mm (10")Ø w/ damper |
| <input type="checkbox"/> OM-080-MK | Magnetic Hood-100mm (4")Ø w/ damper |

CUSTOMER: _____
 CUSTOMER P.O.: _____
 PROJECT: _____
 ENGINEER: _____
 SALES REP.: _____
 IDENTIFICATION / TAGGING: _____


> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by: Janos B
 Date: 4/25/2017
 Scale: NTS
 Weight: N/A


**(01-11) Accessories for
Extraction Arms - SD**
Specification Drawing



Drawing No.: - File Name: (01-11) Accessories for Extraction Arms - SD
 Material: - Sheet: 9/14

DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST


01-11



| PRODUCT # | ØD" | L [Ft] |
|-----------|-----|--------|
| S-200-2 | 8 | 7 |
| S-200-3 | 8 | 11 |
| S-200-4 | 8 | 14 |
| S-160-2 | 6.4 | 7.5 |
| S-160-3 | 6.4 | 11 |
| S-160-4 | 6.4 | 16 |
| S-160-5 | 6.4 | 18 |
| S-160-6 | 6.4 | 20 |

MODELS:

| Part # | Description |
|--|---|
| <input type="checkbox"/> S-200-2 | 7 ft. of 8" dia. hose - blue (replacement hose for P-143) |
| <input type="checkbox"/> S-200-3 | 11 ft. of 8" dia. hose - blue (replacement hose for P-144) |
| <input type="checkbox"/> S-200-4 | 14 ft. of 8" dia. hose - blue (replacement hose for P-145) |
| <input type="checkbox"/> S-160-2 | 7.5 ft. of 6.4" dia. hose - blue (replacement hose for P-002 and P-007) |
| <input type="checkbox"/> S-160-3 | 11 ft. of 6.4" dia. hose - blue (replacement hose for P-003 and P-008) |
| <input type="checkbox"/> S-160-4 | 16 ft. of 6.4" dia. hose - blue (replacement hose for P-009) |
| <input type="checkbox"/> S-160-5 | 18 ft. of 6.4" dia. hose - blue (replacement hose for P-010) |
| <input type="checkbox"/> S-160-6 | 20 ft. of 6.4" dia. hose - blue |



| PRODUCT # | ØD" |
|-----------|-----|
| OM-068 | 5 |
| OM-069 | 6.3 |
| OM-070 | 6 |
| OM-071 | 8 |
| OM-072 | 10 |
| OM-080 | 4 |

MODELS:

| Part # | Description |
|---|---|
| <input type="checkbox"/> OM-068 | Hood (1 Req'd) Round Hood D125MM with damper for externally supported arm, Super Max, Pro-Flex, PKS component system. |
| <input type="checkbox"/> OM-069 | Square Hood D160MM externally supported with damper for Pro Flex/Super Max/PKS system extraction arm |
| <input type="checkbox"/> OM-070 | Round Hood D160MM (6.33") with damper, Externally supported hood for Pro Flex/Super Max/PKS system Extraction arms. |
| <input type="checkbox"/> OM-071 | Round Hood D200MM with damper for externally supported extraction arm. Pro-Flex, supermax or magnetic hood |
| <input type="checkbox"/> OM-072 | Square hood D200MM with damper. Construction: 18 gauge aluminum, powder coated black. Internally supported for flexi extraction arms. |
| <input type="checkbox"/> OM-080 | Hood D 100MM with damper |


CUSTOMER: _____
 CUSTOMER P.O.: _____
 PROJECT: _____
 ENGINEER: _____
 SALES REP.: _____
 IDENTIFICATION / TAGGING: _____

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by: Janos B
 Date: 4/25/2017
 Scale: NTS
 Weight: N/A




**(01-11) Accessories for
 Extraction Arms - SD**
Specification Drawing

Drawing No.: - File Name: (01-11) Accessories for Extraction Arms - SD
 Material: - Sheet: 10/14

DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11



MODELS:

| Part # | Description |
|-----------------|---|
| P-017-MK | Accessories Magnetic kit for Flexi and Pro-Flex extraction hood |


MOUNTED TO DUCT MOUNTED TO HOOD

HOSE CLAMP

BUNGE CORD

ADAPTER

HOSE CLAMP



| Part # | Diameter A |
|-------------|------------|
| QHC-KIT-160 | 6.5" |
| QHC-KIT-200 | 8" |

MODELS:

| Part # | Description |
|------------------------|--|
| QHC - KIT - 160 | Accessories Quick Hose Connection Kit - to quick connect/disconnect an extension hose to the hood of the arms of Mobi-Flex/ Flexi-I/Pro-Flex |
| QHC - KIT - 200 | Accessories Quick Hose Connection Kit - to quick connect/disconnect an extension hose to the hood of the arms of Flexi-II |

CUSTOMER: _____
 CUSTOMER P.O.: _____
 PROJECT: _____
 ENGINEER: _____
 SALES REP.: _____
 IDENTIFICATION / TAGGING: _____

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by: Janos B
 Date: 4/25/2017
 Scale: NTS
 Weight: N/A




**(01-11) Accessories for
Extraction Arms - SD**

Specification Drawing

Drawing No.: - File Name: (01-11) Accessories for Extraction Arms - SD
 Material: - Sheet: 11/14

DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11



MODELS:

Part #



Description

Accessories





PDK-8

Exhaust Duct Kit for Extraction arms



B*: with the arm fully extended and the length of the hood included

H**: with the arm fully folded



| | A | B* | H** |
|-------------|-------|-------|-------|
| P-007/P-143 | 0.5 m | 2.0 m | 0.5 m |
| P-008/P-144 | 1.0 m | 3.0 m | 1.0 m |
| P-009/P-145 | 2.0 m | 4.0 m | 1.0 m |
| P-010/P-146 | 2.0 m | 5.0 m | 1.0 m |

| | HS |
|-------|-----------|
| P-021 | 1m (3.3') |
| P-022 | 2m (6.5') |
| P-023 | 3m (10') |

MODELS:

- ☐ P-021 Ceiling/floor stanchion 1m (3.3') for Flexi and Pro-Flex Extraction Arms
- ☐ P-022 Ceiling/floor stanchion 2m (6.5') for Flexi and Pro-Flex Extraction Arms
- ☐ P-023 Ceiling/floor stanchion 3m (10') for Flexi and Pro-Flex Extraction Arms

CUSTOMER:
CUSTOMER P.O.:
PROJECT:
ENGINEER:
SALES REP.:
IDENTIFICATION / TAGGING:


> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by: Janos B
Date: 4/25/2017
Scale: NTS
Weight: N/A


(01-11) Accessories for
Extraction Arms - SD
Specification Drawing



Drawing No.: -
Material: -
File Name: (01-11) Accessories for Extraction Arms - SD
Sheet: 12/14


DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11



MODELS:

☐ **P-MAX FAN AND EXHAUST DUCT KIT (PDK-8) OPTION**



MODELS:

- ☐ **TP-4-8** Telescoping pole 4
☐ **TP-6-12** Telescoping pole 6

CUSTOMER:
 CUSTOMER P.O.:
 PROJECT:
 ENGINEER:
 SALES REP.:
 IDENTIFICATION / TAGGING:

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by: Janos B
 Date: 4/25/2017
 Scale: NTS
 Weight: N/A




**(01-11) Accessories for
 Extraction Arms - SD**
Specification Drawing

Drawing No.: - File Name: (01-11) Accessories for Extraction
 Material: - Sheet: 13/14


DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11

FRONT VIEW



DETAIL VIEW



NOTES:

- MADE OF 20GA SHEETMETAL
- CUT DOWN IF REQUIRED AS SHOWN IN THE DETAIL VIEW
- ALL DIMENSIONS ARE IN INCHES

☐ UN-BS Universal Birdscreen

Ø 12.00 - DON'T CUT
(KEEP THE PART AS IS)
FOR P-MAX INLET

CUSTOMER:
CUSTOMER P.O.:
PROJECT:
ENGINEER:
SALES REP.:
IDENTIFICATION / TAGGING:

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by: Janos B
Date: 4/25/2017
Scale: NTS
Weight: N/A

(01-11) Accessories for
Extraction Arms - SD
Specification Drawing

Drawing No.: -
Material: -

File Name: (01-11) Accessories for Extraction Arms - SD
Sheet: 14/14

DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

01-11