

YA-LT-4

4"x4"x4" "Y" adaptor c/w two (2) drops 2.5m (8.2') of 250 F hose

YA-LT-5

5"x5"x5" "Y" adaptor c/w two (2) drops 2.5m (8.2') of 250 F hose

YA-LT-6

6"x6"x6" "Y" adaptor c/w two (2) drops 2.5m (8.2') of 250 F hose

YA-LT-8

8"x8"x8" "Y" adaptor c/w two (2) drops 2.5m (8.2') of 250 F hose

YA-HT-4

4"x4"x4" "Y" adaptor c/w two (2) drops 2.5m (8.2') of 600 F hose

YA-HT-5

5"x5"x5" "Y" adaptor c/w two (2) drops 2.5m (8.2') of 600 F hose

YA-HT-6

6"x6"x6" "Y" adaptor c/w two (2) drops 2.5m (8.2') of 600 F hose

YA-HT-8

8"x8"x8" "Y" adaptor c/w two (2) drops 2.5m (8.2') of 600 F hose

Nominal Diameter
ϕ 4 / ϕ 5 / ϕ 6 / ϕ 8

Nominal Diameter
ϕ 4 / ϕ 5 / ϕ 6 / ϕ 8

Nominal Diameter
ϕ 4 / ϕ 5 / ϕ 6 / ϕ 8

SRF-4/D

4" Rubber nozzle with vice grip and automatic damper - 6" opening 5"

SRF-5/D

Rubber nozzle with vice grip and automatic damper - 8" opening 6" Rubber

SRF-6/D

nozzle with vice grip and automatic damper - 8" opening 8" Rubber nozzle

SRF-8/D

with vice grip and automatic damper - 8" opening 4" Rubber nozzle with

SRF-4

vice grip - 6" opening

SRF-5

5" Rubber nozzle with vice grip - 8" opening

SRF-6

6" Rubber nozzle with vice grip - 8" opening

SRF-8

8" Rubber nozzle with vice grip - 8" opening

	A	B	C
SRF-4	4" ϕ	6" ϕ	10 1/4"
SRF-5	5" ϕ	8" ϕ	13 1/4"
SRF-6	6" ϕ	8" ϕ	10 1/4"
SRF-8	8" ϕ	10" ϕ	10 1/4"

	A	B	C
SRF-4/D	4" ϕ	6" ϕ	10 1/4"
SRF-5/D	5" ϕ	8" ϕ	13 1/4"
SRF-6/D	6" ϕ	8" ϕ	10 1/4"
SRF-8/D	8" ϕ	10" ϕ	10 1/4"

Vice-Grip Open

Damper Closed

Vice-Grip Closed

Damper Open

Vice-Grip Mechanism

EPDM Rubber

Steel Connection

Mesh

Note: SRF-5 is made of SRF-6 and a 6" to 5" reducer factory installed
SRF-5/D is made of SRF-6/D and a 6" to 5" reducer factory installed

TP-4-8

Telescoping pole 4' - 8'

TP-6-12

Telescoping pole 6' - 12'

14-11

CUSTOMER:

CUSTOMER P.O.:

PROJECT:

ENGINEER:

SALES REP.:

IDENTIFICATION / TAGGING:

> www.lev-co.com • 1.888.862.5356

lev-co

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by: Dan

Date: 1/19/2012

Scale: NTS

Weight: N/A

14-11 VEHICLE EXHAUST

Fittings and Accessories

Specification Drawing

Drawing No.: -




File Name: (14-11) VE fittings and accessories

Material: -


Sheet: 1/5

DUST COLLECTION • FUME EXTRACTION • OIL MIST FILTRATION • VEHICLE EXHAUST

<input type="checkbox"/>	RCA-5	5" Diesel Stack Adapter - 10" opening for exhaust pipe
<input type="checkbox"/>	RCA-5/D	5" Diesel Stack Adapter - with Damper
<input type="checkbox"/>	RCA-6	6" Diesel Stack Adapter - 10" opening for exhaust pipe
<input type="checkbox"/>	RCA-6/D	6" Diesel Stack Adapter - with Damper
<input type="checkbox"/>	RCA-8	8" Diesel Stack Adapter - 10" opening for exhaust pipe
<input type="checkbox"/>	RCA-8/D	8" Diesel Stack Adapter - with Damper
<input type="checkbox"/>	RCA-10	10" Diesel Stack Adapter - 10" opening for exhaust pipe
<input type="checkbox"/>	RCA-12	12" Diesel Stack Adapter - 14" opening for exhaust pipe
<input type="checkbox"/>	RCA-12/D	12" Diesel Stack Adapter - with Damper
<input type="checkbox"/>	RCA-14	14" Diesel Stack Adapter - 14" opening for exhaust pipe




<input type="checkbox"/> <u> </u>	LQ-54	4" manual steel tailpipe adapter
<input type="checkbox"/> <u> </u>	LQ-55	5" manual steel tailpipe adapter
<input type="checkbox"/> <u> </u>	LQ-56	6" manual steel tailpipe adapter
<input type="checkbox"/> <u> </u>	LQ-58	8" manual steel tailpipe adapter




<input type="checkbox"/> <input type="checkbox"/>	HCG-4	Hose Connectors 4" (100mm) Ø
<input type="checkbox"/> <input type="checkbox"/>	HCG-5	Hose Connectors 5" (125mm) Ø
<input type="checkbox"/> <input type="checkbox"/>	HCG-6	Hose Connectors 6" (150mm) Ø
<input type="checkbox"/> <input type="checkbox"/>	HCG-8	Hose Connectors 8" (200mm) Ø
<input type="checkbox"/> <input type="checkbox"/>	HCG-6.33	Hose Connectors 6.33" (160mm) Ø
<input type="checkbox"/> <input type="checkbox"/>	HCG-7	Hose Connectors 7" (175mm) Ø

Nominal Diameter
 $\phi 4 / \phi 5 / \phi 6 / \phi 6.33 / \phi 8$



<input type="checkbox"/>	QHC-4	4" (100mm) Quick Hose Connector Kit
<input type="checkbox"/>	QHC-5	5" (125mm) Quick Hose Connector Kit
<input type="checkbox"/>	QHC-6	6" (150mm) Quick Hose Connector Kit
<input type="checkbox"/>	QHC-8	8" (200mm) Quick Hose Connector Kit

Nominal
Diameter
 $\phi 4 / \phi 5 / \phi 6 / \phi 8$




<input type="checkbox"/> <u> </u>	RTA-4	Rubber Tailpipe Adapter 4" (100mm) Ø c/w chain and hook.
<input type="checkbox"/> <u> </u>	RTA-5	Rubber Tailpipe Adapter 5" (125mm) Ø c/w chain and hook.
<input type="checkbox"/> <u> </u>	RTA-6	Rubber Tailpipe Adapter 6" (150mm) Ø c/w chain and hook.
<input type="checkbox"/> <u> </u>	RTA-8	Rubber Tailpipe Adapter 8" (200mm) Ø c/w chain and hook.



Nominal
Diameter
 $\phi 4 / \phi 5 / \phi 6 / \phi 8$


<input type="checkbox"/> <u> </u>	DSA-5	Diesel Stack Adapter for vertical pipes 5" (125mm) Ø c/w Telescopic Pole.
<input type="checkbox"/> <u> </u>	DSA-6	Diesel Stack Adapter for vertical pipes 6" (150mm) Ø c/w Telescopic Pole.
<input type="checkbox"/> <u> </u>	DSA-8	Diesel Stack Adapter for vertical pipes 8" (200mm) Ø c/w Telescopic Pole.



Nominal
Diameter
 $\phi 5 / \phi 6 / \phi 8$

<input type="checkbox"/>	VE-Y-4	4"x4"x4" "Y" adaptor c/w 3 hose clamps
<input type="checkbox"/>	VE-Y-5	5"x5"x5" "Y" adaptor
<input type="checkbox"/>	VE-Y-6	6"x6"x6" "Y" adaptor
<input type="checkbox"/>	VE-Y-8	8"x8"x8" "Y" adaptor
<input type="checkbox"/>	VE-Y-8x6	8"x6"x6" "Y" adaptor
<input type="checkbox"/>	VE-Y-4x3	4"x3"x3" "Y" adaptor
<input type="checkbox"/>	VE-Y-5x4	5"x4"x4" "Y" adaptor
<input type="checkbox"/>	VE-Y-6x5	6"x5"x5" "Y" adaptor

	A	B
H-RED-5x4	5" \varnothing	4" \varnothing
H-RED-6x4	6" \varnothing	4" \varnothing
H-RED-8x6	8" \varnothing	6" \varnothing
H-RED-6x5	6" \varnothing	5" \varnothing
H-RED-6.33x6	6.33" \varnothing	6" \varnothing
H-RED-8x5	8" \varnothing	5" \varnothing
H-RED-8x5	8" \varnothing	5" \varnothing




14-11

CUSTOMER:
CUSTOMER P.O.:
PROJECT:
ENGINEER:
SALES REP.:
IDENTIFICATION / TAGGING:



The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.


Drawn by:	Mark F
Date:	12/14/2020
Scale:	NTS
Weight:	N/A



14-11 VEHICLE EXHAUST Fittings and Accessories Specification Drawing

Drawing No.: -	File Name: (14-11) VE fittings and accessories
Material: -	Sheet: 2/5


<input type="checkbox"/> <u> </u>	VE-SAD-4	4" dia.-90 Degree Hose Connection Saddle for vehicle Exhaust hose drops
<input type="checkbox"/> <u> </u>	VE-SAD-5	5" dia.-90 Degree Hose Connection Saddle for vehicle Exhaust hose drops
<input type="checkbox"/> <u> </u>	VE-SAD-6	6" dia.-90 Degree Hose Connection Saddle for vehicle Exhaust hose drops
<input type="checkbox"/> <u> </u>	VE-SAD-8	8" dia.-90 Degree Hose Connection Saddle for vehicle Exhaust hose drops
<input type="checkbox"/> <u> </u>	VE-SAD-7	7" dia.-90 Degree Hose Connection Saddle for vehicle Exhaust hose drops



<input type="checkbox"/>	MD-530-075-100	3" Ø Bridge Clamp. Clamping range of 70mm-90mm	3 inch diameter
<input type="checkbox"/>	MD-530-100-100	4" Ø Bridge Clamp. Clamping range of 100mm-120mm	4 inch diameter
<input type="checkbox"/>	MD-530-125-100	5" Ø Bridge Clamp. Clamping range of 120mm-140mm	5 inch diameter
<input type="checkbox"/>	MD-530-150-100	6" Ø Bridge Clamp. Clamping range of 150mm-170mm	6 inch diameter
<input type="checkbox"/>	MD-530-160-100	6.4" Ø Bridge Clamp. Clamping range of 160mm-180mm	6.4 inch diameter
<input type="checkbox"/>	MD-530-200-100	8" Ø Bridge Clamp. Clamping range of 200mm-220mm	8 inch diameter
<input type="checkbox"/>	MD-530-250-100	10" Ø Bridge Clamp. Clamping range of 250mm-270mm	10 inch diameter
<input type="checkbox"/>	MD-530-300-100	12" Ø Bridge Clamp. Clamping range of 300mm-320mm	12 inch diameter
<input type="checkbox"/>	MD-530-350-100	14" Ø Bridge Clamp. Clamping range of 350mm-370mm	14 inch diameter
<input type="checkbox"/>	MD-530-400-100	16" Ø Bridge Clamp. Clamping range of 400mm-420mm	16 inch diameter



<input type="checkbox"/> _____	P-220	4" Manual steel tailpipe adapter with rubber lid
<input type="checkbox"/> _____	P-221	5" Manual steel tailpipe adapter with rubber lid
<input type="checkbox"/> _____	P-222	6" Manual steel tailpipe adapter with rubber lid
<input type="checkbox"/> _____	P-223	8" Manual steel tailpipe adapter with rubber lid




Part#	D	A
P-220	4"Ø	5"Ø
P-221	5"Ø	6"Ø
P-222	6"Ø	7"Ø
P-223	8"Ø	9"Ø

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-4	4" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-5	5" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-6	6" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-7	7" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-8	8" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-9	9" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-10	10" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-11	11" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-12	12" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-14	14" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-15	15" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-16	16" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-18	18" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-20	20" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	IN-BG-22	22" dia Flanged Cut Off (Full)
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 03	3" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 04	4" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 05	5" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 06	6" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 07	7" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 08	8" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 09	9" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 10	10" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 11	11" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 12	12" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 13	13" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 14	14" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 15	15" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 16	16" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 17	17" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 18	18" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 19	19" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 20	20" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 22	22" dia Automatic Aluminum Flanged Cutt-Off
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Special 24	24" dia Automatic Aluminum Flanged Cutt-Off

CUSTOMER:
CUSTOMER P.O.:
PROJECT:
ENGINEER:
SALES REP.:
IDENTIFICATION / TAGGING:

The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by:	Mark F
Date:	12/9/2020
Scale:	NTS
Weight:	N/A



F 20 S A	<div> <div>14-11 VEHICLE EXHAUST</div> <div>Fittings and Accessories</div> <div>Specification Drawing</div> </div>		
	Drawing No.: -		File Name: (14-11) VE fittings and accessories
	Material: -		Sheet: 4/5



MDB-BUS EXHAUST NOZZLES


General Description

The Masterduct MDB-Series Bus Exhaust Nozzle will be supplied by Masterduct and is used to connect to the new EPA vertical bus exhaust stack. The MDB Bus Nozzle is available in 6" dia and 8" dia hose connection and is equipped with a detachable telescopic pole that can adjust from 5 - 10 ft. The nozzle comes with spring loaded adjustable clamps that will connect onto the bus exhaust stack. It is constructed of 20 gauge steel, fully welded and has a Hi temperature coated finish up to 1200F.



Masterduct MDB-Series Bus Exhaust
Nozzle with detachable telescopic pole

Quick Sleeve DBL




Quantity	Temperature Rating	item #	Description
	150 F	LABQS4GA	4" Double-Bolt Quick-Sleeve
	150 F	LABQS5GA	5" Double-Bolt Quick-Sleeve
	150 F	LABQS6GA	6" Double-Bolt Quick-Sleeve
	150 F	LABQS7GA	7" Double-Bolt Quick-Sleeve
	150 F	LABQS8GA	8" Double-Bolt Quick-Sleeve
	150 F	LABQS9GA	9" Double-Bolt Quick-Sleeve
	150 F	LABQS10GA	10" Double-Bolt Quick-Sleeve
	150 F	LABQS11GA	11" Double-Bolt Quick-Sleeve
	150 F	LABQS12GA	12" Double-Bolt Quick-Sleeve
	150 F	LABQS13GA	13" Double-Bolt Quick-Sleeve
	150 F	LABQS14GA	14" Double-Bolt Quick-Sleeve
	150 F	LABQS15GA	15" Double-Bolt Quick-Sleeve
	150 F	LABQS16GA	16" Double-Bolt Quick-Sleeve
	150 F	LABQS17GA	17" Double-Bolt Quick-Sleeve
	150 F	LABQS18GA	18" Double-Bolt Quick-Sleeve
	650+ F	LABQS4GA	4" Double-Bolt Quick-Sleeve
	650+ F	LABQS5GA	5" Double-Bolt Quick-Sleeve
	650+ F	LABQS6GA	6" Double-Bolt Quick-Sleeve
	650+ F	LABQS7GA	7" Double-Bolt Quick-Sleeve
	650+ F	LABQS8GA	8" Double-Bolt Quick-Sleeve
	650+ F	LABQS9GA	9" Double-Bolt Quick-Sleeve
	650+ F	LABQS10GA	10" Double-Bolt Quick-Sleeve
	650+ F	LABQS11GA	11" Double-Bolt Quick-Sleeve
	650+ F	LABQS12GA	12" Double-Bolt Quick-Sleeve
	650+ F	LABQS13GA	13" Double-Bolt Quick-Sleeve
	650+ F	LABQS14GA	14" Double-Bolt Quick-Sleeve
	650+ F	LABQS15GA	15" Double-Bolt Quick-Sleeve
	650+ F	LABQS16GA	16" Double-Bolt Quick-Sleeve
	650+ F	LABQS17GA	17" Double-Bolt Quick-Sleeve
	650+ F	LABQS18GA	18" Double-Bolt Quick-Sleeve

CUSTOMER:
CUSTOMER P.O.:
PROJECT:
ENGINEER:
SALES REP.:
IDENTIFICATION / TAGGING:



The device depicted and described hereon embodies proprietary information owned by the manufacturer. All design, manufacturing, reproduction, sales and patent rights regarding this device or drawing reserved except where explicit right is guaranteed in writing. We reserve the right to make design changes.

Drawn by:	Mark F
Date:	12/9/2020
Scale:	NTS
Weight:	N/A



14-11 VEHICLE EXHAUST Fittings and Accessories Specification Drawing	
Drawing No.:	File Name: (14-11) VE fittings and accessories
Material:	Sheet: 5/5